



FlowSmart Source Gasket						
Dimensions in Inches			Gasket Part Numbers by Material			
Tube Size	øA OD	øB Bore ID	EPDM	PLATINUM SILICONE	VITON®	WHITE VITON®
1/2"	0.852	0.380	G-TH-050-E	G-TH-050RXPX-1	G-TH-050-V-1	G-TH-050-VW-1
3/4"	0.852	0.620	G-TH-075-E	G-TH-075RXPX-1	G-TH-075-V-1	G-TH-075-VW-1
1"	1.984	0.875	G-TH-100-E	G-TH-100RXPX-1	G-TH-100-V-1	G-TH-100-VW-1
1-1/2"	1.984	1.377	G-TH-150-E	G-TH-150RXPX-1	G-TH-150-V-1	G-TH-150-VW-1
2"	2.520	1.874	G-TH-200-E	G-TH-200RXPX-1	G-TH-200-V-1	G-TH-200-VW-1
2-1/2"	3.050	2.374	G-TH-250-E	G-TH-250RXPX-1	G-TH-250-V-1	G-TH-250-VW-1
3"	3.583	2.878	G-TH-300-E	G-TH-300RXPX-1	G-TH-300-V-1	G-TH-300-VW-1
4"	4.685	3.843	G-TH-400-E	G-TH-400RXPX-1	G-TH-400-V-1	G-TH-400-VW-1
DIN 15	1.339	0.630	G-TH-DIN15-E	G-TH-DIN15RXPX-1	G-TH-DIN15-V-1	G-TH-DIN15-VW-1

Note : the last digit of the price list signifies the number of ports, available as 1, 2, 3 or 4 ports.

For the ideal Source assembly use FlowSmart's 4M Source Clamp featuring wider windows and a reinforced structure. Ask to review our data sheet and our stress analysis.